Requirements to become an Official MVI Station

Please read fully prior to submitting a request. Do not attend Inspector Training School before applying.

Before you can apply to become a motor vehicle inspection station, you will need to send a letter of request to this office with the following information:

Name and physical address of company

Phone number

Contact person

Need to know how long the company has been in business at their present location.

What type of station: Public, fleet, government, dealer

What type of vehicles will be inspected: Cars & light duty trucks, commercial, school buses, motorcycles

What type of surface you have (concrete, asphalt, gravel, etc.)

When our office receives your request, it will be assigned to an Officer to come out and inspect your facility.

You can mail your letter to: Towing and Recovery-MVI / Mail Slip A-26

P.O. Box 66614

Baton Rouge, La. 70896

You can Fax your letter to: 225-922-3120

(LAC 55:III.805-C)

Below are general requirements to become an official MVI station.

You may also go to http://www.doa.la.gov/osr/LAC/55v01/55v1-17.doc to get the complete rules and regulations covering the MVI program. Word or another compatible program is required to open the file. After opening Title 55 of the LAC look under Part III Motor Vehicles. The MVI Regulations are located in Chapters 7 & 8.

Forward

- A. The inspection of vehicles as prescribed in the Louisiana Motor Vehicle Inspection Law is conducted in privately-owned and operated garages and repair shops which have been approved by the Louisiana Department of Public Safety and Corrections. Although these approved inspection stations are privately owned businesses, the inspection of vehicles in compliance with the law is not entirely a private matter. During the course of performing these inspections, the station and its personnel are acting as representatives of the State of Louisiana. The guiding principal of station personnel should be, and must be, providing honest and efficient service to the citizens of our state.
- B. Official motor vehicle inspection station operators and employees should be courteous and patient when explaining that the requirements of the motor vehicle inspection laws are designed to promote safety. It should be clearly understood by all employees that the primary function of the inspection station is not an arbitrary enforcement of the law but rather the advancement of highway safety.
- C. All inspection station personnel must adopt the attitude that they sell safety. They must also bear in mind that the placement of one inspection certificate on an unsafe vehicle may be the cause of a serious crash. They owe a duty to themselves, their families, other vehicle owners and operators not to jeopardize lives through error, carelessness or indifference.
- D. The Official Motor Vehicle Inspection Station License may be revoked if any station owner, operator or employee fails to achieve and maintain a priority standard of service to the motoring public.
- E. Each official Motor Vehicle Inspection station shall give priority to customers seeking motor vehicle inspections.

(LAC 55:III.701)

Requirements, Duties, Responsibilities

- **A.** Classes of Inspection Stations. The classes of Official Motor Vehicle Inspection (MVI) Stations authorized in Louisiana are:
- 1. Public Station. Stations authorized by the Louisiana Department of Public Safety and Corrections to inspect any and every vehicle presented for inspection. When warranted and approved by the department, certain stations may be designated to inspect only specific classes of vehicles. When authorizing a public station to inspect only a certain class vehicle, the class of vehicle to be inspected and justification for each authorization shall be noted in the remarks section of the station application form. Such stations will display a sign immediately adjacent to the official Motor Vehicle Inspection sign designating the classes of vehicles which can be inspected. The designation of a specific class of vehicle to be inspected by a station may be as follows:
 - a. trucks and trailers only;
 - b. passenger vehicles and light duty trucks only;
 - c. motorcycles only; and
- d. stations inspecting commercial vehicles and school buses are required to have special authorization from the department.
- 2. Dealer Station. Any person, association or corporation licensed as a dealer of vehicles which are subject to registration may be licensed as an official MVI dealer inspection station. These stations may only conduct inspections of both new and used vehicles owned by the dealer which are for sale or demonstration. A notation will be made in the remarks section of the application form indicating what type of vehicles is to be inspected. When a dealer is authorized to inspect, it is mandatory that all vehicles sold as new or used must be properly inspected and a valid inspection certificate affixed thereto as prescribed by the official rules and regulations under LAC 55:III.Chapters 7 and 8.
- 3. Fleet Station. Any motor vehicle repair or maintenance shop operated or maintained by a person, firm or corporation in whose name 10 or more vehicles are licensed under the provisions of R.S. 47:462, may be designated as an official fleet MVI station. Fleet stations may inspect only those vehicles registered to or under bona fide lease to the company designated as an official fleet inspection station;
- 4. Government Station. A town, municipality, city, parish or state agency to which the department has granted authority to inspect vehicles owned and registered to these government agencies. These stations will not be approved unless they have their own repair shop; a school board may be granted authority to inspect and certify vehicles operated or contracted by that board.
- 5. Non-attainment area stations are inspection stations receiving specialized training and licensing. Only non-attainment area stations are permitted to inspect vehicles registered within this area that are subject to the inspection and maintenance (I/M) program as provided in 32:1306(B)(3) and LAC 55:817. The nonattainment area consists of five parishes. These parishes are designated by the four-digit domicile code on the registration. Domicile codes beginning with 03 (Ascension Parish), 17 (East Baton Rouge), 24 (Iberville Parish), 32 (Livingston Parish), or 61 (West Baton Rouge) are within the non-attainment area.

(LAC 55:III.805-B)

B. Minimum Requirements for a Motor Vehicle Inspection Station

- 1. The following minimum requirements must be met prior to approval as an official MVI station:
 - a. the prospective MVI station must project an image of a clean and orderly place of business;
 - MVI station locations must comply with current local occupational, zoning and building inspection codes, and must be current at the time of application or occupation
 - i. must submit a copy of the occupational license for the MVI station;
 - ii. if building is leased, must show a written lease agreement. The lease must be at least a minimum of six months. Verbal leases will not be allowed;
 - c. must have a covered vehicle stall or bay, with a roof and two permanent connecting walls, large enough to accommodate the inspection of a full-sized motor vehicle.

(LAC 55:III.805-D)

C. Space Requirements

- 1. All motor vehicle inspections, including the brake check, must be conducted on the premises licensed and must be conducted on a hard solid surface (concrete or asphalt, not just concrete washout or reclaimed asphalt, etc.). A minimum of 150 feet long by 8 feet wide will be required to conduct the brake test, it will be level as well as free from major defects, and must be conducted in a safe location. Officers may reject any applicant if the station does not have the required space or the location is deemed to be unsafe to safely conduct inspections.
- 2. Commercial and/or School Bus Stations (only) Inspection Stall or Bay. All commercial and/or school bus stations shall be equipped with a stall or bay that is large enough to accommodate a combination tractor-trailer commercial motor vehicle of legal dimensions. Legal dimensions for a combination tractor-trailer are as follows, overall length 75ft, width 8ft 6in, and height 14ft. The stall or bay must have a roof and two permanent connecting walls. The stall or bay shall have a smooth, level, free from major defects hard surface (concrete or asphalt, not just concrete washout or reclaimed asphalt, etc.) that is able to withstand the weight of an 80,000 lbs combination tractor-trailer. A pit in the stall or bay the length of a combination tractor-trailer is encouraged, but will not be required. Combination tractor-trailers entering or leaving the inspection site shall be able to do so without repeated adjustment. An example would be the vehicle pulling into and backing out of a position to enter or leave a location, especially when it involves doing so from or onto a public roadway. A vehicle having to make multiple attempts to enter from a public roadway would cause a safety issue that affects the general motoring public and will not be allowed.
- 3. If an applicant requests to become both a general and commercial/school bus inspection station, it shall meet the requirements of both Paragraphs 1 and 2 of Subsection F, Space Requirements.

(LAC 55:III.805-F)

D. Requirements for Approval of Mechanic Inspectors.

Before any mechanic can perform inspections, the department shall review the mechanic's qualifications and may authorize him to inspect. The following requirements shall be met by each applicant prior to being approved as a mechanic inspector:

- 1. shall be at least 18 years of age;
- 2. a criminal history check shall be conducted on all new and renewal applicants who are requesting to be licensed as a mechanic inspector. The following will be grounds for rejection of a mechanic inspector application:
- a. any felony conviction within ten years of application, unless the felony is a crime of violence, a felony is defined by R.S. 14:2(A)(4);
- b. a felony conviction for an offense related to the operation of a motor vehicle within five years of application, unless the felony is a crime of violence;
 - c. any felony conviction as defined by R.S. 14:2(B) as a crime of violence;
 - d. any person who is registered as a sex offender or a child predator;
- e. any new mechanic's application that is found to be falsified for any reason shall result in a denial of the individual applying. The denial period is at the discretion of the department;
- f. any existing mechanic inspector who is convicted of a felony while licensed will be suspended or revoked in accordance with the above Subparagraphs a-e of this Paragraph;
- g. if an existing mechanic inspector has been arrested for a felony, he will be suspended until the charges have been adjudicated. In the event there is only inspector licensed to conduct inspections, the station will also be suspended. Before the suspension is lifted, the inspector will provide the department with official certified court documents that show the inspector has been cleared of all felony charges;
- h. if an existing mechanic inspector does not have a current certification/accreditation he shall be suspended until the certification/accreditation is again current.
- 3. shall be able to read and write the English language. They shall be able to complete MVI certificates and reports accurately and legibly;

- 4. shall possess a valid Louisiana operator's license. The operator's license shall not be subject to any order of suspension, revocation or cancellation or any other order or action which prevents the issuance of a duplicate or renewed operator's license. An approved mechanic inspector residing in a bordering state or those on active military duty shall furnish a valid operator's license from their resident state along with a copy of their driving record. The suspension, revocation, or cancellation of a mechanic inspector's operator's license shall be grounds to suspend his authority to inspect vehicles. A mechanic inspector shall notify the department immediately of such suspension, revocation, or cancellation of his operator's license;
- 5. shall successfully complete a training program offered by a state accredited and department approved post-secondary educational institution (which shall include community colleges and vocational-technical schools). The instructor of this program shall possess at least two years of previous automotive/truck mechanic experience or be an ASE-certified master technician. The curriculum of this training program shall be subject to review of, and approval by, the department to ensure inclusion of all aspects of the Motor Vehicle Inspection Program. A mechanic inspector employed by a station approved to inspect school buses and commercial vehicles shall also be properly trained in those areas prior to licensure. A mechanic inspector to be employed by a station within the five parish nonattainment area must first successfully complete special training related to emissions testing. A mechanic inspector whose license has not been current for a 12-month period shall successfully complete a new training program in order to renew his license;
- 6. a mechanic may be approved to inspect at more than one location. A separate application and fee for each location must be submitted;
- 7. upon completion of the training program, and submission of the mechanic inspector application's current fee, the mechanic will be certified as a mechanic inspector. The department will re-issue the station license with the new inspectors name noted on the license. The inspector may be required to show proficiency and knowledge of the inspection procedures before he/she is allowed to conduct inspections even after attending the class. A mechanic inspector must have successfully completed the MVI school from which he/she is to be licensed or have been licensed by the department within the previous 12 months. If not, the mechanic inspector must attend the motor vehicle inspection class that he wishes to be certified in.
- 8. Commercial and/or School Bus Stations. The following requirements shall be met by each applicant prior to being approved as a mechanic inspector for stations that are authorized as commercial and/or school bus:
 - a. shall meet the same requirements outlined in Subsection I of this Section, except as stated here in;
- b. shall be a current ASE (automotive service excellence) certified diesel mechanic or have an equivalent accreditation. Proof shall be provided to the department for review that the mechanic is currently certified and again after every reaccreditation period has been renewed, depending on the type of certification. Proof of current ASE certification or an equivalent type accreditation shall be kept on file at each inspection location for each inspector, for department review. The department has the right to deny a mechanic's application due to the type of certification/accreditation. Denial by the department will take place if it believes the type of certification/accreditation to be less than the current industry standards, as determined by the department;
- c. shall have at least five years of experience as an ASE certified diesel mechanic or an equivalent accreditation. The mechanic shall provide proof of such experience and certification to the department for review. Proof shall be kept on file at each inspection location for each inspector, for department review.

NOTE: for this section an accredited diesel mechanic will have, but not be limited to, auto maintenance and light repair, engine repair, manual drive train and axles, suspension and steering, brakes, light vehicle diesel engines, and diesel engines certifications. In addition for School Bus inspectors, accreditations must include the same areas as above and include School Bus certifications.

(LAC 55:III.805-I)

E. Equipment Required for Safety Inspections

- 1. The following required equipment will be readily accessible during inspection hours and in good working order:
 - a. windshield scraper for removing old certificates;
 - b. numerical stamps (#1 through #12) 1 inch in size, an X stamp, and a black indelible ink stamp pad;
 - c. tire depth gauge;
 - d. measuring tape at least 6 feet in length;
 - e. flashlight;
 - f. tint meter (two-piece type);
 - g. adjustable mirror; and
- h. a telephone number listed under the name of the station as it appears on the station license, with a telephone located at the place of business. All stations in the non-attainment area shall have the ability to access a telephone and the world wide web simultaneously during normal hours of operation;
- i. on board diagnostic systems test equipment and evaporative system test equipment which includes gas cap pressure test equipment as per the United States Environmental Protection Agency (U.S. EPA) specifications. Stations must have such approved equipment readily accessible and in good working order. This equipment must be in or near the inspection area. The provisions of this Subparagraph shall only apply to inspection stations located in the non-attainment area. Any inspection station incorporated into a new DEQ emissions control program non-attainment area shall adhere to U.S. EPA specifications;
- j. mechanic's creeper. The provisions of this Subparagraph shall only apply to stations that conduct commercial and school bus inspections;
- k. soapstone marker. The provisions of this Subparagraph shall only apply to stations that conduct commercial and school bus inspections;
 - 1. two wheel chocks (commercial and school bus inspection only);
- m. floor jack or lift or two jack stands. This equipment must be capable of lifting and safely holding up the vehicle being inspected;
- n. a current Federal Motor Carrier Safety regulation handbook (updated within one calendar year) as prescribed by: the U.S. Department of Transportation, Federal Motor Carrier Safety Administrations, parts 40, 303, 325, 350-399 (commercial and school bus inspections only);
 - o. brake chamber tool (commercial and school bus inspections only);
 - p. tire pressure gauge;
 - q. a current e-mail address from the station;
- r. additional equipment may be required by the department as it may be deemed necessary, for the proper operation of an inspection station. The department shall give prior written notice of any additional equipment requirements. After such written notice is given, such additional equipment requirement shall be enforced as if included in these rules.

(LAC 55:III.805-G)

F. Responsibility of Station Owner or Operator Waiting on Response.

Upon application for designation as an official MVI station, the owner/operator has pledged himself to:

- 1. act as directed by the department when inspecting vehicles in accordance with these rules;
- 2. maintain a current, updated official rules and regulations on the premises at all times. The manual will be maintained in good condition and be readily available to the mechanic inspector. Any changes in official rules and regulations received by the station operator must be placed immediately in the station's official rules and regulations manual. It is the owner/operator's responsibility to ensure all of his employees involved in the inspection program are aware of any changes;
- 3. use only employees authorized and licensed by the department to perform the actual inspection of motor vehicles;
- 4. conduct honest, thorough and efficient inspections in accordance with motor vehicle inspection laws and the department's regulations;
- 5. maintain in good working order all required tools and equipment described in the minimum requirements, and to cease operations immediately and contact the Department of Public Safety, MVI Section when this condition is not met;
- 6. maintain a clean and orderly place of business and shop. The owner/operator is responsible for his employees in this respect;
- 7. refrain from the use of alcohol or drugs while on duty. MVI stations shall not be located on the premises or property where alcoholic beverages are sold;
- 8. keep an adequate supply of both inspection and rejection certificates and all necessary forms on hand at all times; adequate supply shall be considered 15 certificates or more;
- 9. perform inspections and affix certificates of inspection only at the business location designated on the station license, affix valid certificates of inspection only to those vehicles which have been properly inspected and have passed the safety and/or emission requirements;
- 10. have at least one approved mechanic inspector on duty to make inspections during the hours of business each normal working day;
- 11. must be open a minimum of 40 hours per week. The days and hours the station is open will be determined by the station owner and approved by the department. The days and hours of operation must be posted on the MVI sign;
- a. if a station is required to close for any reason during its posted hours, the station owner or operator must notify the MVI Section by phone, fax or e-mail before closing;
- 12. ensure that all mechanic inspectors attend all meetings, training programs and various schools required by the Louisiana Department of Public Safety and Corrections;
- 13. be responsible for the actions of his mechanic inspectors in all matters relating to motor vehicle inspections. All civil penalties will be addressed to the station and the payment of penalties will be the responsibility of the owner/operator. The station owner/operator is responsible for all violations and fines concerning the operation of his/her station including the actions of his/her mechanic inspectors;
 - 14. immediately follow all directives and instructions issued by the department; and
- 15. properly inform all employees of the rules and regulations set forth herein. Continued supervision of all mechanics authorized to inspect motor vehicles must be maintained;
- 16. contact the Motor Vehicle Inspection Section of the Louisiana Department of Public Safety and the Department of Environmental Quality of any changes in mechanic inspectors.

(LAC 55:III.805-H)

Ba	Basic Check list:	
	1. Inspection bay (General) – An immovable structure with a roof, two side walls, and a concrete or asphalt floor (not concrete washout or reclaimed asphalt, etc), large enough to accommodate the inspection of a full-sized motor vehicle.	
	2. Inspection bay (Commercial/School Bus) – An immovable structure with a roof, two side walls, and a concrete or asphalt floor (not concrete washout or reclaimed asphalt, etc), large enough to accommodate a combination tractor-trailer commercial motor vehicle of legal dimensions. Legal dimensions for a combination tractor-trailer are as follows, overall length 75ft, width 8ft 6in, and height 14ft, that is able to withstand the weight of an 80,000 lbs combination tractor-trailer.	
	3. Brake test area - A minimum of 150 feet long by 8 feet wide concrete or asphalt straightaway surface free from defects on private property in a safe area.	
	4. Clean and Professional looking Business	
	5. Louisiana State Tax ID Number	
	6. Local Occupational License City or Parish	
	7. Future Inspector (General) - Valid Current class E or higher Driver's License, clear / free of flags etc.	
	8. Future Inspector (Commercial/School Bus) – Valid Current class E or higher Driver's License, clear / free of flags etc. Shall be a current ASE (automotive service excellence) certified diesel mechanic or have an equivalent accreditation. Shall also have at least five years of experience as a certified diesel mechanic.	